INTERNATIONAL BACCALAUREATE

Mathematics: analysis and approaches

MAA

EXERCISES [MAA 2.7] ASYMPTOTES

Compiled by Christos Nikolaidis

O. Practice questions

[Maximum mark: 18] [without GDC]
 Complete the following table by writing down the corresponding asymptotes

| Function | Vertical asymptote | Horizontal asymptote |
|----------------------------------|-----------------------|----------------------|
| $f(x) = \frac{2x+7}{x-5}$ | <i>x</i> = 5 | <i>y</i> = 2 |
| $f(x) = \frac{x+7}{2x-3}$ | | |
| $f(x) = \frac{-4x+1}{2x-6}$ | | |
| $f(x) = \frac{2}{x - 5}$ | | |
| $f(x) = \frac{2}{x-5} + 1$ | | |
| $f(x) = \frac{2}{x-5} - 1$ | | |
| $f(x) = \frac{2x+7}{x-5} + 1$ | | |
| $f(x) = \frac{-4x+1}{2x-6} + 3$ | | |
| $f(x) = \frac{5 - x}{5 + x}$ | | |
| $f(x) = \frac{3x + 134}{2x + 5}$ | | |

2. [Maximum mark: 12] [with / without GDC]


$$Let f(x) = \frac{3x - 6}{x + 2}$$

- (a) Write down the equations of the asymptotes. [2]
- (b) Find the x- and y-intercepts. [2]
- (c) Sketch the graph of the function. Indicate the information found in (a) and (b). [4]
- (d) Write down the domain and the range of the function. [2]
- (e) Find the point of intersection between the graph of f and the line y = 1. [2]

 3. [Maximum mark: 10] [with / without GDC]


Let
$$f(x) = \frac{3}{x-2}$$

- (a) Write down the equations of the asymptotes. [2]
- (b) Find any x- or y-intercepts. [2]
- (c) Sketch the graph of the function. Indicate the information found in (a) and (b). [4]
- (d) Write down the domain and the range of the function. [2]



4. [Maximum mark: 8] [without GDC]


The graph of the function $f(x) = \frac{ax+b}{x+c}$ is shown below.



- (a) Find the values of a,b,c. [4]
- (b) Find f(4) and $f^{-1}(1)$. [2]
- (c) By observing the graph, solve the inequality $f(x) \le 1$. [2]

5. [Maximum mark: 19] [without GDC]

The graph of the function $f(x) = \frac{x-6}{x-2}$ is shown below.



(a) Write down the images of the horizontal asymptote y = 1 under the following transformations

| y = f(x) + 2 | y = 3 | y = f(x+2) | |
|--------------|-------|------------|--|
| y = f(x) - 2 | | y = f(x-2) | |
| y = 2f(x) | | y = f(2x) | |
| y = f(x)/2 | | y = f(x/2) | |
| y = -f(x) | | y = f(-x) | |

(b) Write down the images of the vertical asymptote x=2 under the following transformations

| y = f(x) + 2 | y = f(| (x+2) |
|--------------|--------|-------|
| y = f(x) - 2 | y = f(| (x-2) |
| y = 2f(x) | y = f(| 2x) |
| y = f(x)/2 | y = f(| (x/2) |
| y = -f(x) | y = f(| (-x) |

[9]

[10]

6*. [Maximum mark: 10] [without GDC]

(a) Express the function
$$f(x) = 4 + \frac{5}{x+3}$$
 in the form $f(x) = \frac{ax+b}{x+3}$. [2]

- (b) Express the function $g(x) = \frac{x+10}{x+3}$ in the form $g(x) = A + \frac{B}{x+3}$. [2]
- (c) Express the function $h(x) = \frac{2x+10}{x+3}$ in the form $h(x) = C + \frac{D}{x+3}$. [2]
- (d) Complete the following table

| | f | g | h |
|----------------------|---|---|---|
| Vertical asymptote | | | |
| Horizontal asymptote | | | |

| [4 |
|----|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| 7 *. | [Maximum | mark: 61 | 1 | Turithaut | CDCI |
|-------------|----------|-----------|-----|-----------|---|
| <i>'</i> . | [Maximum | IIIain. U | 1 1 | [without | $\mathbf{G} \mathbf{D} \mathbf{C} \mathbf{J}$ |

Let
$$g(x) = 3 + \frac{4}{x-2}$$

(a) Write down the equations of the asymptotes of the graph of g. [2]

(b) Describe the sequence of transformations that map the graph of $f(x) = \frac{1}{x}$ into the graph of g.

[4]

| | • | |
|------|---|--|
| | | |
| | | |
| | | |

.....

8**. [Maximum mark: 7] *[without GDC]*

$$Let h(x) = \frac{3x+1}{x-2}$$

- (a) Write down the equations of the asymptotes of the graph of h. [2]
- (b) Describe the sequence of transformations that map the graph of $f(x) = \frac{1}{x}$ into the graph of h.


[5]

| | | | | |
|------|------|------|------|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

.....

9*. [Maximum mark: 7] [without GDC]

The graph of a function f is shown below.



(a) Write down the equation of the horizontal asymptote.

[1]

(b) Write down the equations of all vertical asymptotes.

[1]

(c) Complete the following table

| (1) | $\lim_{x \to +\infty} f(x) =$ | (4) | $\lim_{x \to -\infty} f(x) =$ |
|-----|-------------------------------|-----|-------------------------------|
| (2) | $\lim_{x\to 2^-} f(x) =$ | (5) | $\lim_{x\to 2^+} f(x) =$ |
| (3) | $\lim_{x\to 5^-} f(x) =$ | (6) | $\lim_{x \to 5^+} f(x) =$ |

[3]

- (d) State the results from question (c) which justify
 - (i) the horizontal asymptote

(ii) the vertical asymptotes.

[2]


| | | |
|------|------|------|

[MAA 2.7] ASYMPTOTES

| ١. | Exan | style questions (SHORT) | |
|----|------|---|----|
| 0. | [Max | kimum mark: 6] <i>[without GDC]</i> | |
| | Con | sider the graph of $f(x) = \frac{6x+1}{2x-4}$. | |
| | (a) | Write down the domain and the range of f . | [2 |
| | (b) | Write down the equation of | |
| | | (i) the horizontal asymptote (ii) the vertical asymptote. | [2 |
| | (c) | Find the x – intercept and the y – intercept. | [2 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 1. | [Max | kimum mark: 6] <i>[without GDC]</i> | |
| | Con | sider the graph of $f(x) = \frac{6}{2x-4}$. | |
| | (a) | Write down the domain and the range of f . | [2 |
| | (b) | Write down the equation of | |
| | | (i) the horizontal asymptote (ii) the vertical asymptote. | [2 |
| | (c) | Find the x – intercept and the y – intercept (if they exist). | [2 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

12. [Maximum mark: 6] [without GDC]

The diagram shows the graph of y = f(x), with the x-axis as an asymptote.




- (a) On the same axes, draw the graph of y = f(x+2) 3, indicating the coordinates of the images of the points A and B. [3]
- (b) Write down the equation of the asymptote
 - (i) for the graph of y = f(x+2).
 - (ii) for the graph of y = f(x) 3.
 - (iii) for the graph of y = f(x+2)-3. [3]

.....

13. [Maximum mark: 8] [without GDC]

The graph of a function f is shown in the diagram below. The point A (-1, 1) is on the graph, and y = -1 is a horizontal asymptote.




- (a) Let g(x) = f(x-1) + 2. On the diagram, sketch the graph of g. [3]
- (b) Write down the equation of the horizontal asymptote of g. [1]
- (c) Let A' be the point on the graph of *g* corresponding to point A. Write down the coordinates of A'. [2]
- (d) Write down the equation of the horizontal asymptote of

(i)
$$y = f(2x)$$
. (ii) $y = 2f(x)$


14. [Maximum mark: 6] [without GDC]

(a) The diagram shows part of the graph of the function $f(x) = \frac{q}{x-p}$. The curve passes through the point A (3, 10). The line (CD) is an asymptote.



Find the value of (i) p (ii) q [4]

(b) The graph of f(x) is transformed as shown in the following diagram. The point A is transformed to A' (3, -10).



Give a full geometric description of the transformation. [2]

[MAA 2.7] ASYMPTOTES


| 15. | [Maximum mark: 7] | [with / with | out GDC1 |
|-----|------------------------------------|--------------------|----------|
| 10. | [iviaxiiiiaiii iiiaiik. <i>i</i> . | [[vvicii / vvicii | out ODO |

The function f(x) is defined as $f(x) = 3 + \frac{1}{2x-5}$, $x \neq \frac{5}{2}$.

- (a) Sketch the curve of f for $-5 \le x \le 5$, showing the asymptotes. [3]
- (b) Using your sketch, write down
 - (i) the equation of each asymptote;
 - (ii) the value of the x-intercept;
 - (iii) the value of the y -intercept. [4]

16. [Maximum mark: 4] **[without GDC]**

Let $f(x) = p - \frac{3x}{x^2 - q^2}$, where $p, q \in R^+$. Part of the graph of f, including the asymptotes, is shown below.



The equations of the asymptotes are x = 1, x = -1, y = 2.

Write down the value of (i) p (ii)


[2]

[2]

17*. [Maximum mark: 6] [with GDC]

The function f is defined by $f(x) = \frac{3}{\sqrt{9-x^2}}$, for -3 < x < 3.

(a) On the grid below, sketch the graph of f.



(b) Write down the equation of each vertical asymptote.

(c) Write down the range of the function f. [2]

B. Exam style questions (LONG)

| 18. [Maximum mark: | 12] | [without | GDC] |
|---------------------------|-----|----------|------|
|---------------------------|-----|----------|------|

The function f is given by

$$f(x) = \frac{2x+1}{x-3}, x \in \mathbb{R}, x \neq 3.$$

- (a) (i) Show that y = 2 is an asymptote of the graph of y = f(x).
 - (ii) Find the vertical asymptote of the graph.
 - (iii) Write down the coordinates of the point P at which the asymptotes intersect. [4]
- (b) Find the points of intersection of the graph and the axes. [4]
- (c) Hence sketch the graph of y = f(x), showing the asymptotes by dotted lines. [4]

| | |
|------|------|
| | |

| | |
|------|------|
| | |
| | |
| | |

| | |
|------|------|
| | |

.....

.....

.....

19.

| [Maː | ximum | mark: 17] [without GDC] | |
|------|---------|--|-----|
| Con | sider t | he functions f and g where $f(x) = 3x - 5$ and $g(x) = x - 2$. | |
| (a) | Find | the inverse function, f^{-1} . | [3] |
| (b) | Give | en that $g^{-1}(x) = x + 2$, find $(g^{-1} \circ f)(x)$. | [2] |
| (c) | Give | en also that $(f^{-1} \circ g)(x) = \frac{x+3}{3}$, solve $(f^{-1} \circ g)(x) = (g^{-1} \circ f)(x)$. | [2] |
| Let | h(x) = | $\frac{f(x)}{g(x)}, x \neq 2.$ | |
| (d) | (i) | Sketch the graph of h for $-3 \le x \le 7$ and $-2 \le y \le 8$, including any | |
| | | asymptotes. | |
| | (ii) | Write down the equations of the asymptotes. | [5] |
| (e) | (i) | Find $h^{-1}(x)$ | |
| | (ii) | Write down the equations of the asymptotes of h^{-1} | [5] |
| | | | |
| | | | |
| | | | |
| | ••••• | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

[MAA 2.7] ASYMPTOTES


| |
|-----------|
| |
| |
| ••• |
| |
| |
| |
| |
| ••• |
| ••• |
| |
| |
| |
| |
| |
| ••• |
| |
| ••• |
| |
| |
| |
| |
| ••• |
| ••• |
| ••• |
| |
| |
| |
| |
| ••• |
| • • • |
| |
| |
| |

20.** [Maximum mark: 10] [with GDC]

Let
$$g(x) = x^4 - 2x^3 + x^2 - 2$$

(a) Solve
$$g(x) = 0$$
. [2]

Let $f(x) = \frac{2x^3}{g(x)} + 1$. A part of the graph of f(x) is shown below.



- (b) Write down
 - (i) the domain of f; (ii) the range of f. [2]
- (c) The graph has vertical asymptotes with equations x = a and x = b where a < b.

 Write down the value of a and of b.
- (d) The graph has a horizontal asymptote with equation y = 1. Explain why the value of f(x) approaches 1 as x becomes very large. [2]
- (e) The graph intersects the *x* -axis at the points A and B. Write down the value of the *x* -coordinate at (i) A; (ii) B. [2]